






- Bar height: 41 mm
- Load capacity: 140 kg/m
- Galvanized steel  
(stainless steel version where indicated)
- Suitable for flat and round cables

# LINE 41

## FESTOON SYSTEM




|                                                                                     |                                                                                                           |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
|    | 30602001/4<br>30602061 - stainless steel<br>C-rail bar                                                    |
|   | 30602002<br>30602065 - stainless steel<br>Joint unit                                                      |
|  | 30602034<br>30602062 - stainless steel<br>Double joint unit                                               |
|  | 30602003<br>30602063 - stainless steel<br>Wall fixing bracket                                             |
|  | 30602004<br>Ceiling fixing bracket                                                                        |
|  | 30602038<br>30602068 - stainless steel<br>Line end stop                                                   |
|  | 30602091<br>30602067 - stainless steel<br>Towing trolley for flat cable (saddle: 68 mm, excursion: 30 mm) |
|  | 30602086<br>Trolley for flat cable (saddle: 68 mm, excursion: 30 mm)                                      |
|  | 30602069<br>30602064 - stainless steel<br>Trolley for flat cable (saddle: 55 mm, excursion: 25 mm)        |
|  | 30602070<br>Trolley for flat cable (saddle: 76 mm, excursion: 25 mm)                                      |

|                                                                                      |                                                                                        |
|--------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|
|     | 30602044<br>Swinging trolley for round cable (Ø 10...25 mm)                            |
|   | 30607025<br>Additional saddle for swinging trolley for round cable (Ø 10...25 mm)      |
|   | 30602045<br>Swinging trolley for round cable (Ø 26...40 mm)                            |
|  | 30607026<br>Additional saddle for swinging trolley for round cable (Ø 26...40 mm)      |
|  | 30602071<br>30602066 - stainless steel<br>Head clamp (saddle: 55 mm, excursion: 30 mm) |
|  | 30602072<br>Head clamp (saddle: 76 mm, excursion: 30 mm)                               |
|  | 30602020<br>Trolley without plug / socket (saddle: 68 mm, excursion: 30 mm)            |
|   | 30602041<br>Trolley with 16 poles socket (saddle: 68 mm, excursion: 30 mm)             |
|   | 30602042<br>Trolley with 24 poles socket (saddle: 68 mm, excursion: 30 mm)             |
|   | 30602043<br>Trolley without plug / socket (saddle: 68 mm, excursion: 30 mm)            |



# 30602001/4

## C-RAIL BAR



|                 |   |                  |
|-----------------|---|------------------|
| Material        |   | galvanized steel |
| Standard length | L | 4 m              |
| Thickness       |   | 1.5 mm           |
| Weight          |   | ~2.0 kg/m        |




|                    |  |          |
|--------------------|--|----------|
| Standard 90° curve |  | 30602054 |
| Radius             |  | 1500 mm  |
| Weight             |  | ~1.2 kg  |

Custom curved bars available on request  
(minimum radius 1500 mm)



# 30602061

## INOX C-RAIL BAR





|                 |   |                 |
|-----------------|---|-----------------|
| Material        |   | stainless steel |
| Standard length | L | 3 m             |
| Thickness       |   | 1.5 mm          |
| Weight          |   | ~1.7 kg/m       |



# 30602002

## JOINT UNIT





|           |                  |
|-----------|------------------|
| Material  | galvanized steel |
| Thickness | 3 mm             |
| Weight    | ~335 g           |



# 30602065

## INOX JOINT UNIT





|           |                 |
|-----------|-----------------|
| Material  | stainless steel |
| Thickness | 3 mm            |
| Weight    | ~335 g          |



# 30602034

## DOUBLE JOINT UNIT





|           |                  |
|-----------|------------------|
| Material  | galvanized steel |
| Thickness | 3 mm             |
| Weight    | ~680 g           |



# 30602062

## INOX DOUBLE JOINT UNIT





|           |                 |
|-----------|-----------------|
| Material  | stainless steel |
| Thickness | 3 mm            |
| Weight    | ~680 g          |



# 30602003

## WALL FIXING BRACKET





|           |                  |
|-----------|------------------|
| Material  | galvanized steel |
| Thickness | 2.5 mm           |
| Weight    | ~180 g           |



# 30602063

## INOX WALL FIXING BRACKET





|           |                 |
|-----------|-----------------|
| Material  | stainless steel |
| Thickness | 2.5 mm          |
| Weight    | ~180 g          |



# 30602004

## CEILING FIXING BRACKET







|          |                  |
|----------|------------------|
| Material | galvanized steel |
| Weight   | ~260 g           |



# 30602038

## LINE END STOP







|          |          |                  |
|----------|----------|------------------|
| Material | body     | nylon            |
|          | hardware | galvanized steel |
| Weight   | ~70 g    |                  |



# 30602068

## INOX LINE END STOP





|          |          |                 |
|----------|----------|-----------------|
| Material | body     | nylon           |
|          | hardware | stainless steel |
| Weight   | ~65 g    |                 |



# 30602091

## TOWING TROLLEY FOR FLAT CABLE





|           |                                          |                                                                                |
|-----------|------------------------------------------|--------------------------------------------------------------------------------|
| Material  | body<br>hardware<br>rollers<br>separator | galvanized steel<br>galvanized steel<br>covered ball bearings<br>thermoplastic |
| Weight    |                                          | ~870 g                                                                         |
| Saddle    |                                          | 68 mm                                                                          |
| Excursion |                                          | 30 mm                                                                          |



# 30602067

## INOX TOWING TROLLEY FOR FLAT CABLE





|           |                                          |                                                                              |
|-----------|------------------------------------------|------------------------------------------------------------------------------|
| Material  | body<br>hardware<br>rollers<br>separator | stainless steel<br>stainless steel<br>covered ball bearings<br>thermoplastic |
| Weight    | ~650 g                                   |                                                                              |
| Saddle    | 68 mm                                    |                                                                              |
| Excursion | 30 mm                                    |                                                                              |



# 30602086

## TROLLEY FOR FLAT CABLE





|           |                                          |                                                                                |
|-----------|------------------------------------------|--------------------------------------------------------------------------------|
| Material  | body<br>hardware<br>rollers<br>separator | galvanized steel<br>galvanized steel<br>covered ball bearings<br>thermoplastic |
| Weight    |                                          | ~565 g                                                                         |
| Saddle    |                                          | 68 mm                                                                          |
| Excursion |                                          | 30 mm                                                                          |



# 30602069

## TROLLEY FOR FLAT CABLE





|           |                             |                                                    |
|-----------|-----------------------------|----------------------------------------------------|
| Material  | body<br>hardware<br>rollers | nylon<br>galvanized steel<br>covered ball bearings |
| Weight    | ~220 g                      |                                                    |
| Saddle    | 55 mm                       |                                                    |
| Excursion | 25 mm                       |                                                    |



# 30602064

## INOX TROLLEY FOR FLAT CABLE




|           |                             |                                                   |
|-----------|-----------------------------|---------------------------------------------------|
| Material  | body<br>hardware<br>rollers | nylon<br>stainless steel<br>covered ball bearings |
| Weight    | ~220 g                      |                                                   |
| Saddle    | 55 mm                       |                                                   |
| Excursion | 25 mm                       |                                                   |



# 30602070

## TROLLEY FOR FLAT CABLE




|           |                             |                                                    |
|-----------|-----------------------------|----------------------------------------------------|
| Material  | body<br>hardware<br>rollers | nylon<br>galvanized steel<br>covered ball bearings |
| Weight    | ~245 g                      |                                                    |
| Saddle    | 76 mm                       |                                                    |
| Excursion | 25 mm                       |                                                    |



# 30602044

## SWINGING TROLLEY FOR ROUND CABLE




|          |                                              |                                                                        |
|----------|----------------------------------------------|------------------------------------------------------------------------|
| Material | body<br>hardware<br>rollers<br>cable support | galvanized steel<br>galvanized steel<br>covered ball bearings<br>nylon |
| Weight   | ~570 g                                       |                                                                        |
| Cable    | Ø 10...25 mm                                 |                                                                        |



# 30607025

## ADDITIONAL SADDLE FOR SWINGING TROLLEY FOR ROUND CABLE





|          |                  |                           |
|----------|------------------|---------------------------|
| Material | body<br>hardware | nylon<br>galvanized steel |
| Weight   | ~80 g            |                           |
| Cable    | Ø 10...25 mm     |                           |



# 30602045

## SWINGING TROLLEY FOR ROUND CABLE




|          |                              |                       |
|----------|------------------------------|-----------------------|
| Material | body                         | galvanized steel      |
|          | hardware                     | galvanized steel      |
|          | rollers                      | covered ball bearings |
|          | cable support                | nylon                 |
| Weight   | ~570 g                       |                       |
| Cable    | $\varnothing 26 \dots 40$ mm |                       |



# 30607026

## ADDITIONAL SADDLE FOR SWINGING TROLLEY FOR ROUND CABLE





|          |                  |                           |
|----------|------------------|---------------------------|
| Material | body<br>hardware | nylon<br>galvanized steel |
| Weight   | ~80 g            |                           |
| Cable    | Ø 26...40 mm     |                           |



# 30602071

## HEAD CLAMP



|           |          |                  |
|-----------|----------|------------------|
| Material  | body     | nylon            |
|           | hardware | galvanized steel |
| Weight    | ~170 g   |                  |
| Saddle    | 55 mm    |                  |
| Excursion | 30 mm    |                  |



**GIOVENZANA**  
INTERNATIONAL B.V.

Strawinskylaan 1105  
1077 XX Amsterdam, The Netherlands





DS-30602066-EN / 07.04.2022

**EN**  
datasheet

# 30602066

## INOX HEAD CLAMP



|           |          |                 |
|-----------|----------|-----------------|
| Material  | body     | nylon           |
|           | hardware | stainless steel |
| Weight    | ~170 g   |                 |
| Saddle    | 55 mm    |                 |
| Excursion | 30 mm    |                 |



Dimensions in mm / illustrations NOT in scale






# 30602020

## TROLLEY WITHOUT PLUG / SOCKET



Dimensions in mm / illustrations NOT in scale


|           |                                          |                                                                                |
|-----------|------------------------------------------|--------------------------------------------------------------------------------|
| Material  | body<br>hardware<br>rollers<br>separator | galvanized steel<br>galvanized steel<br>covered ball bearings<br>thermoplastic |
| Weight    |                                          | ~1.8 kg                                                                        |
| Saddle    |                                          | 68 mm                                                                          |
| Excursion |                                          | 30 mm                                                                          |





# 30602041

## TROLLEY WITH 16 POLES SOCKET




Dimensions in mm / illustrations NOT in scale

|           |                                          |                                                                                |
|-----------|------------------------------------------|--------------------------------------------------------------------------------|
| Material  | body<br>hardware<br>rollers<br>separator | galvanized steel<br>galvanized steel<br>covered ball bearings<br>thermoplastic |
| Weight    | ~2.75 kg                                 |                                                                                |
| Saddle    | 68 mm                                    |                                                                                |
| Excursion | 30 mm                                    |                                                                                |




# 30602042

## TROLLEY WITH 24 POLES SOCKET



Dimensions in mm / illustrations NOT in scale


|           |                                          |                                                                                |
|-----------|------------------------------------------|--------------------------------------------------------------------------------|
| Material  | body<br>hardware<br>rollers<br>separator | galvanized steel<br>galvanized steel<br>covered ball bearings<br>thermoplastic |
| Weight    |                                          | ~2.9 kg                                                                        |
| Saddle    |                                          | 68 mm                                                                          |
| Excursion |                                          | 30 mm                                                                          |





# 30602043

## TROLLEY WITHOUT PLUG / SOCKET



Dimensions in mm / illustrations NOT in scale

|           |                                          |                                                                                |
|-----------|------------------------------------------|--------------------------------------------------------------------------------|
| Material  | body<br>hardware<br>rollers<br>separator | galvanized steel<br>galvanized steel<br>covered ball bearings<br>thermoplastic |
| Weight    | ~2 kg                                    |                                                                                |
| Saddle    | 68 mm                                    |                                                                                |
| Excursion | 30 mm                                    |                                                                                |

